

MULTI-LOADER FX & RT ATTACHMENTS

CRAWLER CARRIER



ALMACRAWLER 

MULTI-LOADER FX & RT ATTACHMENTS

The Multi-Loaders comes with a wide range of fully installable, completely independent attachments to amplify its range of applications and allow operators to achieve more.

I Multi-Loader sono dotati di un'ampia gamma di accessori autonomi, facilmente installabili, che permettono di ampliare la gamma di applicazioni del trasportatore cingolato.

	KLM 1.0		KLM 2.0		
	METRIC	IMPERIAL	METRIC	IMPERIAL	
Max capacity	1000 Kg	2200 lbs	400 Kg	880 lbs	Capacità max
Weight (empty)	415 Kg	915 lbs	490 Kg	1080 lbs	Peso (a vuoto)
Battery	12 V 100 Ah with charger on board (110V-230V)		12 V 100 Ah with charger on board (110V-230V)		Batteria



Self-standing kit

Kit autoportante



KML 1.0



KML 2.0

Lifter KIT

ML 3.0 FX / ML 3.0 RT

Fully removable hydraulic scissor lift table available in two options

Piano a forbice completamente rimovibile disponibile in due opzioni

KML 1.0

Single stage

KML 2.0

Double stage

KDM13

Dumper

ML 3.0 FX / ML 3.0 RT

Installable dumper kit

Rotating base

Radio remote controlled

Kit dumper installabile

Pianale ruotante

Radiocomando

Swivel platform

Rotazione del pianale



KDM 13

METRIC

IMPERIAL

Max capacity

1300 Kg

2870 lbs

Capacità max

Weight (empty)

380 Kg

840 lbs

Peso (a vuoto)

Struck volume

0.6 m3

21 ft3

Volume raso

Rated volume (ISO 6483)

0.65 m3

23 ft3

Volume max (ISO 6483)

Battery

**12 V 100 Ah with charger
on board (110V-230V)**

Batteria

Battery Trolley

ML 3.0 FX

Custom design trolley to allow easy removal and storage of battery pack.

Trolley progettato su misura per estrarre e trasportare facilmente la batteria.



Max capacity 170 Kg / 375 lbs

Weight (Peso) 30 Kg / 66 lbs



Multiframe

ML 3.0 FX / ML 3.0 RT / 1.5 FX

Double-sided a-frame rack for the safe transport and storage of windows, flat glass or insulating glass units.

A-Frame per il trasporto sicuro di finestre, vetri piani o vetrate isolanti.

Swivel plate for ML 1.5 FX

Pianale girevole per ML 1.5 FX

Max capacity 1400 Kg / 3090 lbs

Weight (Peso) 100 Kg / 220 lbs



Max capacity 2400 Kg / 5290 lbs

ML 3.0 FX / RT (1200 Kg / 2645 lbs for each side)

Max capacity 1300 Kg / 2870 lbs

ML 1.5 FX (650 Kg / 1435 lbs for each side)

Weight (Peso) 145 Kg / 320 lbs



Dolly

ML 3.0 FX / ML 3.0 RT / ML 1.5 FX

Support extension - helps carry extra-long loads easily

Accessorio estensivo del pianale: aiuta a trasportare facilmente i carichi più lunghi

Max capacity 1500 Kg / 3310 lbs

Weight (Peso) 125 Kg / 275 lbs



Forest Kit

ML 3.0 FX / ML 3.0 RT / 1.5 FX

Forest kit for safe transport of logs

Kit forestale per il trasporto sicuro dei tronchi

Max capacity 2950 Kg / 6500 lbs

ML 3.0 FX / RT

Max capacity 1450 Kg / 3200 lbs


ML 1.5 FX

Weight (Peso) 50 Kg / 110 lbs



ALMACRAWLER

MULTI-LOADER FX & RT ATTACHMENTS




Multiframe



ML 1.5 FX




ML 3.0 FX / ML 3.0 RT






Forest kit

ML 1.5 FX







ML 3.0 FX / 3.0 RT




Battery Trolley

ML 3.0 FX




Dolly

ML 3.0 FX





ML 3.0 RT / 1.5 FX



Swivel plate


ML 1.5 FX




Lifter Kit

ML 3.0 FX / 3.0 RT

KLM 1.0




KLM 2.0



Dumper KDM13

ML 3.0 FX / 3.0 RT



ALMACRAWLER 

Via Caduti sul Lavoro 1
46019 Viadana (MN) - ITALY
+39 0375 83 35 27
info@almac-italia.com
www.almac-italia.com